


Sample	Description	Model	Item No.	no
	MISTRAL double handle Mill finish	2089	8200	.1
	MISTRAL double handle white	2089	8201 9277	.2
	MISTRAL double handle beige	2089	8202	.3
	DOMESTIC modular kit for one locking point PANAMA BAR panic exit device white	8801	8207 9424	.4
	DOMESTIC modular kit for one locking point PANAMA BAR panic exit device silver	8801	8208	.5
	NEFER MIDI Industrial single fork cremone bolt - center distances 84-92-98-104 mm T/T Mill finish	0757BI	8210	.6

	NEFER MIDI Industrial single fork cremone bolt - center distances 84-92-98-104 mm T/T white	0757BI	8211 9120 9121	.7
	DOMESTIC modular kit for two locking points PANAMA BAR panic exit device white	8802D	8217 9425	.8
	DOMESTIC modular kit for two locking points PANAMA BAR panic exit device silver	8802D	8218	.9
	NEFER Industrial single fork cremone bolt - center distances 82-84-96-98 mm T/T Mill finish	0760AI	8220	.10
	NEFER Industrial single fork cremone bolt - center distances 82-84-96-98 mm T/T white	0760AI	8221	.11
	NEFER Industrial single fork cremone bolt - center distances 82-84-96-98 mm T/T Beige	0760AI	8222	.12

	DOMESTIC modular kit for one locking point PANAMA PUSH panic exit device white	8821	8227	.13
	NEFER single fork cremone bolt with key locking - center distances 84-92-98-104 mm T/T Mill finish	0761B	8230	.14
	NEFER single fork cremone bolt with key locking - center distances 84-92-98-104 mm T/T white	0761B	8231	.15
	DOMESTIC modular kit for two locking points PANAMA PUSH panic exit device silver	8822D	8236	.16
	DOMESTIC modular kit for two locking points PANAMA PUSH panic exit device white	8822D	8237 9427	.17
	Accessories for Handle ref. 0770AD	0770AD acc	8239	.18

	Right hand standard connecting pin NEFER cremone bolt for curtain walls - center distances 84-92-98-104 mm Mill finish	0770AD	8240 9002	.19
	Right hand standard connecting pin NEFER cremone bolt for curtain walls - center distances 84-92-98-104 mm white	0770AD	8241	.20
	Right hand standard connecting pin NEFER cremone bolt for curtain walls - center distances 84-92-98-104 mm Beige	0770AD	8242	.21
	Right hand standard connecting pin NEFER cremone bolt for curtain walls - center distances 84-92-98-104 mm Bronze	0770AD	8243	.22
	oltre new- DOMESTIC kit - Panic with two closing points with vertical latches for doors up to 1000mm	8825	8247	.23
	Right hand standard connecting pin NEFER cremone bolt with key locking for curtain walls - center distances 84-92-98-104 mm white	0771AD	8251 9124	.24

	Right hand standard connecting pin NEFER cremone bolt with key locking for curtain walls - center distances 84-92-98-104 mm Bronze	0771AD	8253	.25
Lsm31375	MACHINE FOR CYLINDER INSERTION 9970C-00	9970C	8255	.26
	Universal ALTDUE awning window arm, Industrial packaging - length 150 mm	3228i	8256	.27
	ALT awning window arm for Euro groove profiles length 220 mm	3230	8257	.28
	Universal ALTDUE awning window arm, Industrial packaging - length 220 mm	3227i	8258	.29
	NEFER MIDI Industrial double forks with locking kit-center distances 84-92-98-104 mm white R/L	0787BAi	8261 9127	.30

	GHIBLI single fork cremone bolt - center distances 82-84-98-104 mm T/T Mill finish	0808	8270	.31
	CENTRAL LOCK – TWO POINT LOCKING SILVER	8022	8273	.32
	European type cylinder covering plate in die-cast aluminum with security locking device white	2100B	8275	.33
	European type cylinder covering plate in die-cast aluminum with security locking Mill finish	2100B	8276	.34
	European type cylinder covering plate in aluminum white	2100C	8277 9278	.35
	European type cylinder covering plate in aluminum Mill finish	2100C	8278	.36

	BORA single fork cremone bolt with key locking - center distances mm 84-104 T/T white	0841B	8291	.37
	Low cost locking kit for side-hung windows	1978	8295	.38
	Connecting block for single fork cremone bolt for Euro groove profiles	1559	8296	.39
	Nylon double keeper for Euro groove profiles	4115	8298	.40
	HORUS double handle silver	2051	8299	.41
	HORUS double handle Mill finish	2051	8300	.42

	HORUS double handle white	2051	8301	.43
	HORUS double handle Beige	2051	8302	.44
	HORUS double handle Bronze 62	2051	8303 8317	.45
	HORUS double handle gold	2051	8306	.46
	HORUS double handle Bronze 94	2051	8317	.47
	PIENZA flat handle with aluminum operating lever WHITE	2302	8321 9280	.48

	DOMESTIC NEW modular kit for one locking point PAN-AMA PUSH panic exit device silver	8821	8327	.49
	CONNECTION ROD PANAMA 2300MM SILVER	8454	8328	.50
	NEFER Industrial double forks cremone bolt - center distances 82-84-96-98 mm RIGHT Mill finish	0790AI	8330 8630	.51
	SUTRI flat handle with reduced handle Mill finish	2317	8340	.52
	SUTRI flat handle with reduced handle white	2317	8341 9281	.53
	Right hand standard connecting pin NEFER cremone bolt with key locking for curtain walls - center distances 84-92-98-104 mm mill finish	0771AD	8350	.54


	External drive with cylinder white	8571	8371 9422	.55
	External drive with cylinder silver	8571	8374	.56
	External drive with cylinder silver-g6	8571	8375	.57
	GEA OLIMPO NEW single fork cremone bolt - center distances 82-84-92-98 mm T/T white	0530AI	8415	.58
	GEA OLIMPO NEW single fork cremone bolt - center distances 82-84-92-98 mm T/T Mill Finish	0530AI	8416	.59
	HERA OLIMPO NEW double handle Door handle in die-cast Mill Finish	2041i03	8417	.60

	GEA OLIMPO NEW single fork cremone bolt W/KEY - center distances 84-92-98-104 mm T/T white	0531B	8418-	.61
	GEA OLIMPO NEW Double fork cremone bolt - center distances 84-92-98-104 mm Mill Finish	0540B	8419	.62
	GEA OLIMPO NEW Double fork cremone bolt - center distances 84-92-98-104 mm White	0540B	8420	.63
	IRIS OLIMPO NEW Must w/m 0520 work hinges and T/T Mill Finish	0500A	8421	.64
	IRIS OLIMPO NEW Must w/m 0520 work hinges and T/T White	0500A	8422	.65
	mechanism for window handles, distance 43 and 21,5mm 180°,90° hinges sys & T/T	0520	8423	.66

	HERA OLIMPO NEW double handle Door handle in die-cast White	2041i03	8425	.67
	HERA OLIMPO NEW H double handle Door handle in die-cast Bronze	2041i03	8426	.68
	NEW MAGICUBE tilt and turn kit with right concealed hinges and long arm - 180 kg capacity- Euro groove profiles	1201R	8427	.69
	NEW MAGICUBE tilt and turn kit with right concealed hinges and short arm - 180 kg capacity- Euro groove profiles	1200R	8428	.70
	NEW MAGICUBE pair of concealed hinges for right side-hung opening - 180 kg capacity - Euro groove profiles	1204R	8429	.71
	Basic kit without connecting block for GALICUBE Tilt-and-Turn - Euro groove profiles (Industrial packaging)	1461I	8430	.72

	NEW NEFER Industrial double forks cremone bolt W/KEY- center distances 84-92-98-104mm RIGHT white	0791B	8431	.73
	NEW NEFER Industrial double forks cremone bolt W/KEY- center distances 84-92-98-104mm RIGHT Mill finish	0791B	8432	.74
	Left hand standard connecting pin NEFER cremone bolt for curtain walls - center distances 84-92-98-104 mm Mill finish	0770AS	8440	.75
	EGO LOCK CYLINDER 30+30	2755BB	8449	.76
	One locking point EGO lock with latch bolt for Euro groove profiles, center distance 30mm	2501B	8450	.77

	Multipoint EGO lock with latch bolt for Euro groove profiles, center distance 30mm	2503B	8451 8452	.78
	Multipoint EGO lock with latch bolt for Euro groove profiles, center distance 30mm	2523B error	8452	.79
	Multipoint EGO lock with latch bolt for profiles with Velox system, center distance 30mm	2503BA	8453	.80
	Adjustable keeper for EGO locks - For Euro groove profiles	2620	8454	.81
	Adjustable keeper for EGO locks - For profiles with Velox system	2620A	8455	.82

	VELOX TOP hinge for profiles with 21x25x17 mm groove	5512i Or 5512	8456	.83
	Anti-theft locking point for profiles with Velox system (17-19-20mm grooves)	5418	8457	.84
	Anti-theft keeper for profiles with Velox system (frame-sash distance 19-20mm)	5420A	8458	.85
	HORUS single handle MILL FINISH	2050	8470	.86
	GRIP hinge for euro groove profiles Mill finish	9825	8610	.87
	GRIP hinge for euro groove profiles White	9825	8611	.88

	NEFER MIDI Industrial double forks cremone bolt – center distances 84-92-98-104 mm R + L Mill Finish	0787BI	8620 9003	.89
	NEFER MIDI Industrial double forks cremone bolt - center distances 84-92-98-104 mm R + L White 58	0787BI	8621	.90
	NEFER MIDI Industrial double forks cremone bolt - center distances 84-92-98-104 mm R + L Beige	0787BI	8622	.91
	NEFER MIDI Industrial double forks cremone bolt - center distances 84-92-98-104 mm R + L color 805-B7	0787BI	8623	.92
	NEFER MIDI Industrial double forks cremone bolt - center distances 84-92-98-104 mm L + R White 76	0787BSI	8625	.93
	RAMSES cremone bolt with slim handle and key - distance 104mm White	1843	8626	.94

	NEFER Industrial double forks cremone bolt - center distances 82-84-96-98 mm RIGHT Mill finish	0790AI	8630 9004	.95
	NEFER Industrial double forks cremone bolt - center distances 82-84-96-98 mm RIGHT White	0790AI	8631 9129	.96
	NEFER Industrial double forks cremone bolt - center distances 82-84-96-98 mm RIGHT Beige	0790AI	8632	.97
	NEFER Industrial double forks cremone bolt - center distances 82-84-96-98 mm LEFT Beige	0790AIS	8633	.98
	NEFER Industrial double forks cremone bolt - center distances 82-84-96-98 mm LEFT White	0790AIS	8635	.99
	Reversible pair of hinges for Industrial GALIPLUS 2 Tilt-and-Turn for euro groove profiles Mill finish	1405I	8650	100

	Reversible pair of hinges for Industrial GALIPLUS 2 Tilt-and-Turn for Euro groove profiles White	1405I	8651	101
	Reversible pair of hinges for Industrial GALIPLUS 2 Tilt-and-Turn for Euro groove profiles Beige	1405I	8652	102
	Reversible pair of hinges for Industrial GALIPLUS 2 Tilt-and-Turn for Euro groove profiles Bronze	1405I	8653	103
	Reversible pair of hinges for Industrial GALIPLUS 2 Tilt-and-Turn for Euro groove profiles Gold	1405I	8655	104
	Additional corner transmission with locking point - for Euro groove profiles T/T	1497A	8656	105
	Industrial basic kit without connecting block for GALIPLUS 2 and GALIPLUS 3 Tilt-and-Turn mechanism - for Euro groove profiles T/T	1481I	8657	106

	Basic kit without connecting block for Industrial GALIPLUS 4 right hand Tilt-and-Turn mechanism - for Euro groove profiles (14x18 mm section)T/T	1471DI	8658	107
	Basic kit without connecting block for Industrial GALIPLUS 4 right hand Tilt-and-Turn mechanism - for Euro groove profiles T/T	1472DI	8659	108
	Reversible pair of hinges for Industrial GALIPLUS 3 Tilt-and-Turn - for Euro groove profiles T/T MILL FINISH	1407I	8660	109
	Reversible pair of hinges for Industrial GALIPLUS 3 Tilt-and-Turn - for Euro groove profiles T/T white	1407I	8661 9140	110
	Additional locking pin of 9 mm for Euro groove profiles Galvanized steel locking pin and screw.	4166	8664 9304	111
	Industrial keeper for Euro groove profiles Body in galvanized zamak and fastening screw in stainless ACC T/T.	11597	8665	112

	Medium compass arm for Industrial GALIPLUS 2 and GALIPLUS 4 Tilt-and-Turn for Euro groove profiles (562-1200 mm)	1450AI	8666	113
	Industrial medium compass arm for GALIPLUS 3 Tilt-and-Turn for Euro groove profiles (562-1200 mm) T/T	1452CI	8667 9146	114
	Industrial short compass arm for GALIPLUS 2 and GALIPLUS 4 Tilt-and-Turn for Euro groove profiles (402-750 mm)	1449AI	8668 9142	115
	Short compass arm for GALIPLUS 3 Tilt-and-Turn for Euro groove profiles (402-750 mm) T/T	1452B	8669 9144	116
	VENICE hinge for Euro groove profiles (with frame groove 14x18 mm Mill Finish)	5601	8670	117
	MONZA hinge for Eurogroove profiles (with frame grooves 13,6x16,8 and 14x18mm) MF	5672	8676	118

	VENICE hinge for Eurogroove profiles (with frame grooves 13,6x16,8 and 14x18mm) TRIPPLE SIDE MF	5605A	8677	119
	VENICE hinge for Eurogroove profiles (with frame grooves 13,6x16,8 and 14x18mm) TRIPPLE SIDE White	5605A	8678	120
	VENICE BABY hinge for Euro groove profiles (with frame groove 14x18 mm) Mill Finish	5603	8680	121
	VENICE BABY hinge for Euro groove profiles (with frame groove 14x18 mm) White	5603	8681 9404	122
	VENICE BABY hinge for Euro groove profiles (with frame groove 14x18 mm) Beige	5603	8682	123
	VENICE BABY hinge for Euro groove profiles (with frame groove 14x18 mm) Bronze	5603	8683	124

	VENICE BABY hinge for Euro groove profiles (with frame groove 14x18 mm(Silver	5603	8684	125
	VENICE BABY hinge for Euro groove profiles (with frame groove 14x18 mm(Champagne	5603	8685	126
	VENICE BABY hinge for Euro groove profiles (with frame groove 14x18 mm(Gold	5603	8686	127
	VENICE hinge for R 40 profiles MILL FINISH	5611	8690	128
	NEW LIMITE safety multifunctional mechanism for Euro groove profiles It allows to limit the opening of the sash,	1456	8709	129
	LOIRA+ Industrial hinge 60 mm with pre-mounted bushes - Without fastening kit Mill finish	7000I	8710	130

	LOIRA+ hinge center distance 60 mm with pre-mounted bushes - Without fastening kit White	7000	8711 9410	131
	LOIRA+ hinge center distance 60 mm with pre-mounted bushes - Without fastening kit BEIGE	7000	8712	132
	LOIRA+ hinge center distance 60 mm with pre-mounted bushes - Without fastening kit BRONZE	7000	8713	133
	LOIRA+ hinge center distance 60 mm with pre-mounted bushes - Without fastening kit GOLD	7000	8714	134
	Pair of project-out window arms - L. 18'''	3250c	8715	135
	Pair of project-out window arm - L. 20'''	3250D	8716 9286	136

	Pair of project-out window arm - L. 24'''	3250F	8717 9287	137
	Pair of project-out window arm - L. 28'''	3250H	8718	138
	LOIRA+ hinge center distance 60 mm with pre-mounted bushes - Without fastening kit Mill finish	7003	8720	139
	LOIRA+ hinge center distance 60 mm with pre-mounted bushes - Without fastening kit Bronze	7003	8723	140
	LOIRA+ hinge center distance 60 mm with pre-mounted bushes - Without fastening kit Gold	7003	8724	141
	Corner transmission for curtain walls	1515B	8725 9154	142

	Curtain wall locking point	1595	8726 9157	143
	Keeper for curtain walls	1598C	8727	144
	Fastening kit for three-leaf LOIRA+ hinges, counter-plates of 15 mm	6625	8736 9408	145
	Industrial kit with counter-plates for two-leaf LOIRA+ hinges	6620NI	8737 9405	146
	Fastening kit for two-leaf LOIRA+ hinges, counter-plates of 15mm	6623	8738 9407	147
	Shim for LOIRA+ hinges for 7 mm overlapping profiles mf	6666S7	8739 9409	148

	BLITZ MIDI hinge for Euro groove profiles - 14x18 and 12x15 grooves Mill Finish	9727B	8740 8749	149
	BLITZ MIDI hinge for Euro groove profiles - 14x18 and 12x15 grooves White	9727B	8741 9429	150
	BLITZ MIDI hinge for Euro groove profiles - 14x18 and 12x15 grooves Mill Finish	9727B	8749	151
	BLITZ hinge for Euro groove profiles Mill Finish	9730	8750	152
	BLITZ hinge for Euro groove profiles White	9730	8751	153

	BLITZ hinge for Euro groove profiles Beige	9730	8752	154
	BLITZ hinge for Euro groove profiles Bronze	9730	8753	155
	BLITZ hinge for Euro groove profiles Champ.. OM	9730	8754	156
	OLÉ handle with two fixing elements - black drive Champ.. om	5000BB	8755 8808	157
	BLITZ hinge for Euro groove profiles Gold	9730	8756	158

	BLITZ hinge for Euro groove profiles Inox stainless	9730	8758	159
	LOIRA+ Industrial hinge 60 mm with pre-mounted bushes – With fastening Mill Finish	7000+66 20NI	8760	160
	LOIRA+ Industrial hinge 60 mm with pre-mounted bushes - With fastening kit White	7000+66 20NI	8761	161
	LOIRA+ Industrial hinge 60 mm with pre-mounted bushes - With fastening kit Beige	7000+66 20NI	8762	162
	LOIRA+ Industrial hinge 60 mm with pre-mounted bushes - With fastening kit Bronze	7000+66 20NI	8763 8766	163

 	LOIRA+ Industrial hinge 60 mm with pre-mounted bushes - With fastening kit Champagne	7000+66 20NI	8764	164
 	LOIRA+ Industrial hinge 60 mm with pre-mounted bushes - With fastening kit Silver	7000+66 20NI	8765	165
 	LOIRA+ Industrial hinge 60 mm with pre-mounted bushes - With fastening kit Bronze 94	7000+66 20NI	8766	166
	NEFER Industrial double forks cremone bolt - center dis- tances 84-92-98-104 mm RIGHT Mill Finish	0790BI	8770	167
	Pair of project-out window arms - L. 16'''	3250B	8771	168

	NEFER Industrial double forks cremone bolt - center distances 84-92-98-104 mm RIGHT Bronze	0790B	8773	169
	NEFER Industrial double forks cremone bolt - center distances 84-92-98-104 mm RIGHT Gold	0790B	8776	170
	NEFER Industrial double forks cremone bolt - center distances 84-92-98-104 mm RIGHT Inox stainless	0790B	8777	171
	NEFER Industrial single fork cremone bolt - center distances 84-92-98-104 mm Mill Finish	0760BI	8780	172
	NEFER Industrial single fork cremone bolt - center distances 84-92-98-104 mm Bronze	0760B	8783	173
	NEFER Industrial single fork cremone bolt - center distances 84-92-98-104 mm Gold	0760B	8786	174

	Aluminum finger catch Mill Finish	3212	8790	175
	Aluminum finger catch Bronze	3212	8793	176
	Aluminum finger catch COLOR 805-B7	3212	8794	177
	Pulling handle for OLÉ TOP, 240mm length Bronze	5010B	8796	178
	OLÉ TOP handle with two fixing elements - black drive Bronze	5003BB	8797	179
	Built-in outside pulling handle with key Bronze	5014	8798	180

	OLÉ handle with two fixing elements - black drive Bronze	5000BB	8799	181
	OLÉ handle with two fixing elements - black drive Dark Bronze 8022	5000BB	8800	182
	OLÉ handle with two fixing elements - black drive Mill finish	5000BB	8801	183
	OLÉ handle with two fixing elements - black drive White	5000BB	8802	184
	OLÉ handle with two fixing elements - black drive Beige	5000BB	8803	185

	OLÉ handle with two fixing elements - black drive Bronze8019-94	5000BB	8804	186
	OLÉ handle with two fixing elements - black drive COLOR 805-B7	5000BB	8805	187
	OLÉ handle with two fixing elements - white drive White	5000BA	8807	188
	OLÉ handle with two fixing elements - black drive champagne	5000BB	8808	189
	OLÉ handle with two fixing elements - black drive Bronze	5000BB	8809	190

	OLÉ TOP handle with two fixing elements - black drive Mill Finish	5003BB	8811	191
	OLÉ TOP handle with two fixing elements - black drive White	5003BB	8812	192
	OLÉ TOP handle with two fixing elements - black drive Beige	5003BB	8813	193
	OLÉ TOP handle with two fixing elements - black drive Bronze	5003BB	8814 8816	194

	Pulling handle for OLÉ TOP, 240mm length White	5010B	8815	195
	OLÉ TOP handle with two fixing elements - black drive Dark Bronze	5003BB	8816	196
	Pulling handle for OLÉ TOP, 240mm length Beige	5010B	8817	197
	Pulling handle for OLÉ and OLÉ+, 200mm length Mill Finish	5010A	8821	198

	Pulling handle for OLÉ TOP, 240mm length Mill Finish	5010B	8822	199
	Built-in outside pulling handle with key Mill Finish	5014	8825	200
	Built-in outside pulling handle with key White	5014	8826	201
	Built-in outside pulling handle with key Beige	5014	8827	202
	Front nib Y32.5 X0	5022	8831	203
	Front nib Y33.8 X4	5023H	8832 9400	204

	Front nib Y44.5X7	5023N	8833	205
	Front nib Y42.9X2.5	5023E	8834	206
	Face fix front keeper	5028	8835 9401	207
	Face fix front keeper	5030A	8836 9402	208
	Pulling handle for OLÉ and OLÉ+, 200mm length White	5010A	8851 9306	209
	COMPACT draught excluders without wings BRONZE	DA40520 50	8903	210

	Industrial COMPACT draught excluders without wings	DA40521 001	8905	211
	Industrial COMPACT draught excluders without wings	DA40521 101	8906	212
	Industrial COMPACT draught excluders without wings	DA40521 201	8907	213
	COMPACT supporting draught excluders bronze	DA30620 50	8914	214
	COMPACT supporting draught excluders White	DA30621 00	8916	215
	COMPACT supporting draught excluders Bronze	DA30621 00	8917	216

	COMPACT supporting draught excluders White	DA30621 10	8926	217
	COMPACT supporting draught excluders Bronze	DA30621 10	8927	218
	TITAN supporting latch - length 450 mm Mill finish	3716	8930	219
	TITAN supporting latch - length 450 mm White	3716	8931 9292	220
	COMPACT supporting draught excluders White	DA30621 30	8936	221
	COMPACT supporting draught excluders Bronze	DA30621 30	8937	222

	SUPERCLAK finger catch for Euro groove profiles White	3217	8941 9283	223
	SUPERCLAK finger catch for R 40 and R 50 profiles White	3217R	8951	224
	Draining cup in black nylon for bottom hole 21x6	4238	8957 9305	225
	3216-99 ضفدعة مل فنش ايطالى	3216	8960	226
	3216-32 ضفدعة حليبي ايطالى	3216	8961	227
	3216-37 ضفدعة اسود ايطالى	3216	8965	228

	Aluminum supporting latch - length 150 mm White	3712	8971	229
	Aluminum supporting latch - length 150 mm Beige	3712	8972	230
	Aluminum supporting latch - length 150 mm Bronze	3712	8973	231
	Aluminum supporting latch - length 440 mm White	3713	8981 9290	232
	3205-88 ايطالى ضفدعة	3205	8987	233
	TITAN supporting latch - length 220 mm Mill finish	3715	8990	234

	TITAN supporting latch - length 220 mm White	3715	8991	235
	TITANDUE latch for 14x18 mm groove - length 220 mm Inox stainless	3720C	8995 9293	236
	Floor keeper for TITAN and TITANDUE latches	3734	8997 9297	237
	Upper keeper for TITAN latches	3733	8998 9296	238
	NEFER Industrial single fork cremone bolt - center dis- tances 82-84-96-98 mm T/TLEFT Mill Finish	0760AIS M	9001	239
	Right hand standard connecting pin NEFER cremone bolt for curtain walls - center distances 84-92-98-104 mm Mill finish	0770ADS M	9002	240

	NEFER MIDI Industrial double forks cremone bolt – center distances 84-92-98-104 mm R + L Mill Finish	0787BIS M	9003	241
	NEFER MIDI Industrial single fork cremone bolt - center distances 84-92-98-104 mm T/T white	0757BI	9120 9121	242
	NEFER MIDI Industrial single fork cremone bolt - center distances 84-92-98-104 mm T/T white	0757BI	9121	243
	Right hand standard connecting pin NEFER cremone bolt with key locking for curtain walls - center distances 84-92-98-104 mm white	0771AD	9124	244
	NEFER single fork cremone bolt with removable handle - center distances 84-92-98-104 mm White	0782B	9125	245
	Removable handle for NEFER, GEA cremone bolts and OSIRIDE window handles black	0783	9126	246

	NEFER MIDI Industrial double forks cremone bolt and locking (Ø 8 mm rod connection) - center distances 84-92-98-104 mm R/L	0787BBI	9127	247
	NEFER Industrial double forks cremone bolt - center distances 82-84-96-98 mm RIGHT White	0790AI	9129	248
	GHIBLI single fork cremone bolt - center distances 82-84-98-104 mm white	0808	9130	249
	BORA single fork Industrial cremone bolt - center distances 84-98 mm white	0840AI	9137	250
	BORA single fork cremone bolt with key locking - center distances mm 84-104 white	0841B	9138	251
	Reversible pair of hinges for Industrial GALIPLUS 3 Tilt-and-Turn - for Euro groove profiles T/T white	1407I	9140	252

	Pair of right hinges for GALIPLUS 4 Tilt-and-Turn for Euro groove profiles (14x18 mm section) white	1408D	9141	253
	Industrial short compass arm for GALIPLUS 2 and GALIPLUS 4 Tilt-and-Turn for Euro groove profiles (402-750 mm)	1449A	9142	254
	Short compass arm for GALIPLUS 3 Tilt-and-Turn for Euro groove profiles (402-750 mm) T/T	1452B	9144	255
	Industrial medium compass arm for GALIPLUS 3 Tilt-and-Turn for Euro groove profiles (562-1200 mm) T/T	1452C	9146	256
	Basic kit without connecting block for Industrial GALIPLUS 4 right hand Tilt-and-Turn mechanism - for Euro groove profiles (14x18 mm section)T/T	1471DI	9147	257
	Basic kit without connecting block for GALIPLUS 4 right hand Tilt-and-Turn mechanism - for Euro groove profiles (14x18 mm section)T.T	1471D	9148	258

	Basic kit without connecting block for Industrial GALIPLUS 4 left hand Tilt-and-Turn mechanism - for Euro groove profiles (11x15 and 12x15 mm sections)	1471SBI	9149	259
	Basic kit without connecting block for GALIPLUS 4 right hand Tilt-and-Turn mechanism - for Euro groove profiles	1472D	9150	260
	Basic kit without connecting block for GALIPLUS 4 left hand Tilt-and-Turn mechanism - for Euro groove profiles	1472S	9151	261
	Industrial additional corner transmission - for Euro groove profiles T/T g2.3 galicube.zm	1495AI	9152	262
	Corner transmission for side-hung windows NORMAL	1515A	9153	263
	Corner transmission for curtain walls	1515B	9154	264

	Connecting pin with guide for Euro groove profiles, GALIPLUS 3, GALIPLUS 2, GALICUBE	1563I	9155	265
	Connecting pin Ø6 mm in stainless steel for single fork cremone bolts GALIPLUS 2, GALICUBE, GALIPLUS 3	1565I6	9156	266
	Curtain wall locking point	1595	9157	267
	Adjustable keeper for Euro groove profilesRange: , GALIPLUS 2, GALICUBE, GALIPLUS 3	1597A	9158	268
	Ventilation deviceRange: , GALIPLUS 2, GALICUBE, GALIPLUS 3	1618	9180	269
	Polyamide rod - length 250 mm. Polyamide rod to be used with Euro groove profiles for the manufacturing of either side-hung or Tilt and Turn windows. It can be machined on the FP12, FP13, FP14 and FP16 punching machines. It is suitable for use with part nos. 1563I and 1593I.	1683	9182	270

	FP16 manual punching machine for Ø 6-8mm polyamide rods Punching machine with bench, equipped with adjustable beat for rod machining. It is suitable for manufacturing rods for either side-hung or Tilt and Turn windows.	1684D	9183	271
	Pivot for operating mechanism in galvanized steel - length 14 mm	1825	9195	272
	Operating mechanism for RAMSES cremone bolts Range: , Anta Ribalta GALICUBE	1827A	9196	273
	Operating mechanism for RAMSES cremone bolts for rounded profiles Range: , Anta Ribalta GALICUBE	1827B	9197	274
	RAMSES cremone bolt center distance 104 mm White	1840	9198	275
	LOTHUS cremone bolt White	1870	9200	276

	LOTHUS cremone bolt with slim handle White	1872	9263	277
	Connecting rod and casing for LOTHUS cremone bolts - length 1000 mm white	1889A	9264	278
	Connecting rod and casing for LOTHUS cremone bolts - length 1800 mm White	1889B	9265	279
	Galvanized steel straight rod end for LOTHUS cremone bolts	1892A	9266	280
	Stainless steel straight rod end for LOTHUS cremone bolts	1892AX	9267	281
	Galvanized steel offset rod end for LOTHUS cremone bolts	1892B	9268	282

	Keeper for LOTHUS cremone bolts	1893A	9269	283
	Keeper for LOTHUS cremone bolts.	1893B	9270	284
	Keeper for LOTHUS cremone bolts Stainless steel	1893C	9271	285
	Polyamide intermediate guide for the locking rods of LOTHUS cremone bolts.	1894	9272	286
	Floor keeper for LOTHUS cremone bolts Stainless steel keeper for threshold.	1895	9273	287
	Industrial HORUS MIDI double handle White	2053IA	9276	288

	MISTRAL double handle white	2089	9277	289
	European type cylinder covering plate in aluminum white	2100C	9278	290
	Off-centered steel squared pivot Ø 8mm - 150 mm length	2101B	9279	291
	PIENZA flat handle with aluminum operating lever WHITE	2302	9280	292
	SUTRI flat handle with reduced handle white	2317	9281	293
	Aluminum finger catch White	3212	9282	294

	SUPERCLAK finger catch for Euro groove profiles White	3217	9283	295
	Pair of project-out window arm - L. 20'''	3250D	9286	296
	Pair of project-out window arm - L. 24'''	3250F	9287	297
	Frame adjusting plate in nylon Adjusting plate realized in nylon. It equipped with the adjustment dowel.	3482	9288	298
	Aluminum supporting latch - length 440 mm White	3713	9290	299
	TITAN supporting latch - length 450 mm	3716	9292	300

	TITANDUE latch for 14x18 mm groove - length 220 mm	3720C	9293	301
	TITANDUE latch for 14x18 mm groove - length 450 mm White	3721C	9294	302
	TITANTRE latch - 220 mm length White	3722B	9295	303
	Upper keeper for TITAN latches	3733	9296	304
	Floor keeper for TITAN and TITANDUE latches	3734	9297	305
	Lower keeper for ATLAS, TITAN and TITANDUE latches Stainless steel keeper for ATLAS, TITANDUE and TITAN latches.	3738	9298	306

	Zamak insertion latch for groove 14x18	3826	9299	307
	Nylon double keeper for Euro groove profiles	4115	9302	308
	Additional locking pin of 9 mm for Euro groove profiles .Galvanized steel locking pin and screw	4166	9304	309
	Draining cup in black nylon for bottom hole 21x6	4238	9305	310
	Pulling handle for OLÉ and OLÉ+, 200mm length White	5010A	9306	311
	Front nib Y33.8 X4	5023H	9400	312



	Face fix front keeper	5028	9401	313
	Face fix front keeper	5030A	9402	314
	VENICE hinge for Euro groove profiles (with frame groove 14x18 mm(White	5601	9403	315
	VENICE BABY hinge for Euro groove profiles (with frame groove 14x18 mm(White	5603	9404	316
	Industrial kit with counter-plates for two-leaf LOIRA+ hinges	6620NI	9405	317
	industrial kit with counter-plates for three-leaf LOIRA+ hinges	6621NI	9406	318

	Fastening kit for two-leaf LOIRA+ hinges, counter-plates of 15mm	6623	9407	319
	Fastening kit for three-leaf LOIRA+ hinges, counter-plates of 15 mm	6625	9408	320
	Shim for LOIRA+ hinges for 7 mm overlapping profiles mf	6666S7	9409	321
	LOIRA+ hinge center distance 60 mm with pre-mounted bushes - Without fastening kit White	7000	9410	322
	LOIRA+ hinge center distance 60 mm with pre-mounted bushes - Without fastening kit White	7003	9411	323
	LOIRA+ hinge center distance 67 mm with pre-mounted bushes - Without fastening kit White	7013	9412	324

	LOIRA+ hinge center distance 79 mm with pre-mounted bushes - Without fastening kit White	7020	9413	325
	LOIRA+ hinge center distance 86 mm with pre-mounted bushes - Without fastening kit White	7043	9414	326
	One locking point central lock for PANAMA BAR with handle cam White	8012	9415	327
	Two locking points central lock for PANAMA BAR without handle cam White	8020	9416	328
	CENTRAL SUPPORT FOR PANIC DEVICE 32-9010 White	8040	9417	329
	Kit with vertical latch bolts and keepers White	8401	9418	330

	Low cost connecting rod with caps - length 950 mm White	84401	9419	331
	Low cost Industrial connecting rod with caps - length 1365 mm White	84421	9420	332
	Keeper for central locks and laterals and top-bottom latch bolts White	8529	9421	333
	External drive with cylinder white	8571	9422	334
	External drive preset for cylinder White	8573	9423	335
	DOMESTIC modular kit for one locking point PANAMA BAR panic exit device white	8801	9424	336

	DOMESTIC modular kit for two locking points PANAMA BAR panic exit device white	8802	9425	337
	DOMESTIC modular kit for two locking points PANAMA PUSH panic exit device white	8822D	9427	338
	SYMPLEX modular kit for one locking point PANAMA PUSH panic exit device White with red cover	8851	9428	339
	BLITZ MIDI hinge for Euro groove profiles - 14x18 and 12x15 grooves White	9727B	9429	340
	BLITZ hinge for Euro groove profiles White	9730D	9430	341

	9800A - GRIP+ hinge with stainless steel pivot for Euro groove profiles White	9800A	9431	342
	GRIP three-leaf hinge with pin for Euro groove profiles - arranged for safety pin White	9826B	9432	343
	IGLOO supporting draught excluders White	DA10610 90	9433	344
	Industrial COMPACT draught excluders without wings	DA40521 00	9434	345
	BAG WITH LEFT FORKS FOR NEFER HANDLE Right	OVCCQ9 10	9930	346
	BAG WITH LEFT FORKS FOR NEFER HANDLE Left	OVCCQ9 10	9931	347